



BEARING DRIVESHAFT, INC.



22240CAMKE4 Bearing 2D drawings and 3D CAD models

200 x 14.173 Inch | 360 Millimeter x 3.858 Inch |
98 Millimeter NSK 22240CAMKE4 Spherical
Roller Bearings

Bearing No. 22240CAMKE4

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	45
EAN	0029176027314
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH2240 (Specify bore)
Inch - Metric	Metric
Long Description	200MM Tapered Bore; 360MM Outside Diameter; 98MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part
Other Features	Order adapter or



BEARING DRIVESHAFT, INC.

	withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	22240CAMKE4
Weight / LBS	41.83
D	14.173 Inch 360 Millimeter
B	3.858 Inch 98 Millimeter
Adapter Part Number	SNW3140 H3140 HA3140 HE3140 (Specify bore) Inch H3140 (Specify bore) Millimeter
d	7.874 Inch 200 Millimeter
Y3	2.6
hidYobi	22240CAMKE4
LangID	1
Y1	2.5
D_	360
Y2	3.8
Macha rpm	2200
C	1620
B_	98
da min	218
hidTable	ecat_NSSPHR
Oil rpm	1200
da max	0
Y0	2.5
mass	42.7



BEARING DRIVESHAFT,INC.

GRS rpm	950
ra	3
TSR rpm	1700
C0	2010
DE_	323.017
X0	1
Prod_Type3	SRB_CTB_TB
X1	1
d	200
X2	0.67
SIR	38
e	0.26
DA_	39.5
bomp	22240CAMKE4
Z_	19
ALP2	0
ALP1	10
ALP3	0
D_a max	342
D_a min	315
yobi	22240CAMKE4
HPS	HPS
ALPHA_	0.175
SDM_	284.117
r	4
SBRG	22
DI_	245.217