



## BEARING DRIVESHAFT, INC.



21318C3 Bearing 2D drawings and 3D CAD models

3.543 Inch | 90 Millimeter x 7.48 Inch | 190  
Millimeter x 1.693 Inch | 43 Millimeter NTN  
21318C3 Spherical Roller Bearings

Bearing No. 21318C3

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	6.17
EAN	4547359260939
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	No
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch - Metric	Metric
Long Description	90MM Straight Bore; 190MM Outside Diameter; 43MM Width; C3-Loose Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Not Relubricatable



## BEARING DRIVESHAFT, INC.

Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Weight / LBS	13.592
d	3.543 Inch   90 Millimeter
D	7.48 Inch   190 Millimeter
Adapter Part Number	Not Applicable Inch   Not Applicable Millimeter
B	1.693 Inch   43 Millimeter
bore diameter:	90 mm
operating temperature range:	-40 to 120 ° C
outside diameter:	190 mm
cage material:	Brass
overall width:	43 mm
bearing material:	Through Hardened Steel
bore type:	Straight
cage type:	Machined
outer ring type:	Not Split
precision rating:	Not Rated
internal clearance:	C3
finish/coating:	Uncoated
closure type:	Open
outer ring width:	43 mm
lubrication hole type:	Lubrication Groove & Hole
inner ring width:	43 mm
dynamic load capacity:	320000 N
fillet radius:	2.5 mm
static load capacity:	400000 N



## BEARING DRIVESHAFT, INC.

series:	213
maximum rpm:	3000 rpm
manufacturer product page:	<a href="#">Click here</a>